





Lecture 3: Search 2

http://cs.nju.edu.cn/yuy/course_ai17.ashx



Previously...



function TREE-SEARCH(*problem*, *fringe*) **returns** a solution, or failure

fringe ← INSERT(MAKE-NODE(INITIAL-STATE[*problem*]), *fringe*)

loop do

if *fringe* is empty **then return** failure

node ← REMOVE-FRONT(*fringe*)

if GOAL-TEST(*problem*, STATE(*node*)) **then return** *node*

fringe ← INSERTALL(EXPAND(*node*, *problem*), *fringe*)

note the time of goal-test: expanding time not generating time

function EXPAND(*node*, *problem*) **returns** a set of nodes

successors ← the empty set

for each *action*, *result* **in** SUCCESSOR-FN(*problem*, STATE[*node*]) **do**

s ← a new NODE


PARENT-NODE[*s*] ← *node*; ACTION[*s*] ← *action*; STATE[*s*] ← *result*

PATH-COST[*s*] ← PATH-COST[*node*] + STEP-COST(*node*, *action*, *s*)

DEPTH[*s*] ← DEPTH[*node*] + 1

add *s* to *successors*


return *successors*




Informed Search Strategies

best-first search: f but what is best?

uniform cost search: cost function g
heuristic function: h



Example: h_{SLD}



Arad	366	Mehadia	241
Bucharest	0	Neamt	234
Craiova	160	Oradea	380
Drobeta	242	Pitesti	100
Eforie	161	Rimnicu Vilcea	193
Fagaras	176	Sibiu	253
Giurgiu	77	Timisoara	329
Hirsova	151	Urziceni	80
Iasi	226	Vaslui	199
Lugoj	244	Zerind	374

Figure 3.22 Values of h_{SLD} —straight-line distances to Bucharest.

Greedy search



Evaluation function $h(n)$ (**h**euristic)

= estimate of cost from n to the closest goal

E.g., $h_{\text{SLD}}(n)$ = straight-line distance from n to Bucharest


Greedy search expands the node that **appears** to be closest to goal

Example




▶ Arad
366


Example



Example



Example



Properties



Complete?? No—can get stuck in loops, e.g.,

lasi \rightarrow Neamt \rightarrow lasi \rightarrow Neamt \rightarrow

Complete in finite space with repeated-state checking

Time?? $O(b^m)$, but a good heuristic can give dramatic improvement

Space?? $O(b^m)$ —keeps all nodes in memory

Optimal?? No

A* search



Idea: avoid expanding paths that are already expensive

Evaluation function $f(n) = g(n) + h(n)$

$g(n)$ = cost so far to reach n

$h(n)$ = estimated cost to goal from n

$f(n)$ = estimated total cost of path through n to goal

A* search uses an **admissible** heuristic

i.e., $h(n) \leq h^*(n)$ where $h^*(n)$ is the **true** cost from n .

(Also require $h(n) \geq 0$, so $h(G) = 0$ for any goal G .)

E.g., $h_{\text{SLD}}(n)$ never overestimates the actual road distance


Theorem: A* search is optimal

Example




▶ Arad
 $366=0+366$


Example




Example




Example



Example




Example




A* is optimal: Admissible and consistency



Admissible: never over estimate the cost



no larger than the cost
of the optimal path
from n to the goal



A^* is optimal: Admissible and consistency

A^* is optimal with admissible heuristic 重点理解!

why?



A* is optimal: Admissible and consistency



A* is optimal with admissible heuristic **重点理解!**

why? 1. when a search algorithm is optimal?


uniform cost search is optimal, because

a) it expands node with the smallest cost

b) the goal state on the optimal path has smaller cost than that on any sub-optimal path

c) it will never expand the goal states on sub-optimal paths before the goal state on the optimal path

key, the goal state on the optimal path has smaller value than that on any sub-optimal paths



A* is optimal: Admissible and consistency

A* is optimal with admissible heuristic 重点理解!

why? 2. when the $f=g+h$ value of the goal state on the optimal path is the smaller than that on any sub-optimal path?





A* is optimal: Admissible and consistency


A* is optimal with admissible heuristic **重点理解!**

why? 3. if $h(n) \leq h^*(n)$, that is, the heuristic value is smaller than the true cost

for any node n on the optimal path

$$f(n) = g(n) + h(n) \leq g(n) + h^*(n) = g(G(1)) \leq g(G(2))$$

so n is always expanded before the goal state on any other sub-optimal path





A* is optimal: Admissible and consistency


A* is optimal with admissible heuristic

why?

Lemma: A* expands nodes in order of increasing f value*

Gradually adds “ f -contours” of nodes (cf. breadth-first adds layers)

Contour i has all nodes with $f = f_i$, where $f_i < f_{i+1}$



A* is optimal: Admissible and consistency



Admissible is for tree search, for graph search


A heuristic is **consistent** if

$$h(n) \leq c(n, a, n') + h(n')$$

If h is consistent, we have

$$\begin{aligned} f(n') &= g(n') + h(n') \\ &= g(n) + c(n, a, n') + h(n') \\ &\geq g(n) + h(n) \\ &= f(n) \end{aligned}$$

I.e., $f(n)$ is nondecreasing along any path.



Proof is similar with that of admissible

Example



E.g., for the 8-puzzle:

$h_1(n)$ = number of misplaced tiles

$h_2(n)$ = total Manhattan distance

(i.e., no. of squares from desired location of each tile)

7	2	4
5		6
8	3	1

Start State

1	2	3
4	5	6
7	8	

Goal State

$$\underline{h_1(S)} = ?? \quad 6$$

$$\underline{h_2(S)} = ?? \quad 4+0+3+3+1+0+2+1 = 14$$



Dominance

If $h_2(n) \geq h_1(n)$ for all n (both admissible)
then h_2 dominates h_1 and is better for search

why?

Typical search costs:

$d = 14$ IDS = 3,473,941 nodes

$A^*(h_1) = 539$ nodes

$A^*(h_2) = 113$ nodes

$d = 24$ IDS \approx 54,000,000,000 nodes

$A^*(h_1) = 39,135$ nodes


$A^*(h_2) = 1,641$ nodes

Given any admissible heuristics h_a, h_b ,

$$h(n) = \max(h_a(n), h_b(n))$$

is also admissible and dominates h_a, h_b

Admissible heuristics from relaxed problem



Admissible heuristics can be derived from the **exact** solution cost of a **relaxed** version of the problem

If the rules of the 8-puzzle are relaxed so that a tile can move **anywhere**, then $h_1(n)$ gives the shortest solution

If the rules are relaxed so that a tile can move to **any adjacent square**, then $h_2(n)$ gives the shortest solution



Key point: the optimal solution cost of a relaxed problem is no greater than the optimal solution cost of the real problem

Example



Well-known example: **travelling salesperson problem** (TSP)

Find the shortest tour visiting all cities exactly once




Minimum spanning tree can be computed in $O(n^2)$
and is a lower bound on the shortest (open) tour

Where did A* come from

Shakey 50 Years

Shakey the robot was the first general-purpose mobile robot to be able to reason about its own actions

Developed in SRI International from 1966






FIG. 2 AUTOMATON VEHICLE



Celebration of Shakey in AAAI'15

SHAKY ACHIEVEMENTS

